

STERIDIUM

# 810L Laboratory Incubator

Model i810



# 810L Laboratory Incubator

## Model i810

### Product Specifications

Chamber Capacity	810L
Chamber Dimensions	842 x 705 x 1373 mm (w d h)
External Dimensions	1048 x 881 x 1982 mm (w d h)
Chamber Material	Stainless Steel (304 L)
External Material	Durable epoxy powder-coated steel
Temperature Range	(ambient+7) to 80C
Temperature Sensor	pt100
Temporal Stability	+/- 0.1 C
Spatial Stability	+/- 2C
Shelf Positions	16
Shelves Supplied	3
Shelf Support Spacing	77
Insulation Type	Mineral wool
Insulation Thickness	50 mm



**Brisbane, Australia**

+61 7 55 931 352

sales@steridium.com

steridium.com





# 810L Laboratory Incubator

## Model i810

### Options / Accessories

- Additional Shelf
- Inner viewing door - Tempered Glass
- Double Glazed Door
- Castors
- Enhanced RH - Reduced drying out of samples
- Side Access Port - 50 mm
- Calibration Certificate
- 8 Step Programmable Controller - 4 Ramp/Dwell Pairs
- ISPM15 Compliant Export Crating



**Brisbane, Australia**

+61 7 55 931 352

[sales@steridium.com](mailto:sales@steridium.com)

[steridium.com](http://steridium.com)