



POWERFUL PRODUCTIVITY FOR THE JOBSITE

Brady M210 and M211 Portable Label Printers

Durable. Intuitive. Ready for any jobsite.

Identify wires, cables, racks, bins and more
with durable labels up to 0.75 in. (19.05mm) wide.



M210 Label Printer

Take on your toughest on-site labelling challenges to get the job done right. With smart automatic formatting, all you need to do is drop in a label cartridge, type and print.



M211 Label Printer

Optimised for mobile so you can seamlessly design, view and print labels with the Express Labels Mobile app. Design on screen. Print on demand. Label right on-site.






MEET THE DEMANDS OF ON-SITE LABELLING

THE M210

Rugged, reliable and ready for the toolbox
so you can quickly and easily print labels anywhere



The tough, intuitive labeller that belongs on any jobsite

Do more with these time-saving features:

- Create and print with a built-in keypad
- 11 pre-loaded application design guides
- Ability to create UPC, DataMatrix and QR codes
- Store up to 12 label files up to 2MB
- Prints up to 2,000 on a single charge with a Li-Ion battery pack*
- Onboard label material gauge

* Sold separately. Included in all M210 Printer Kits.

PRINT THE WAY YOU WORK



**CUSTOM
DESIGN GUIDES**



**CHOOSE FROM 90+
EASY-TO-LOAD
CARTRIDGES**




**BUILT TO
WITHSTAND
TOUGH JOBSITES**



DESIGN. PREVIEW. PRINT. ALL FROM YOUR PHONE.

THE M211

Bluetooth enabled so you can get the job done
right from our industry-leading Express Labels Mobile app



Label creation is just a tap away
for on-the-go printing

Do more with these time-saving features:

- 20+ barcode/QR code types, 85 fonts and over 1,400 symbols
- Resists 6 ft. (1.8m) drops, 250 lb. (113kg) crushes and military-grade shocks
- 90+ cartridges and 12 material types
- Keep work moving with label design guides
- Prints up to 300 labels on a full charge with an internal Li-Ion battery
- Auto label cutter

**PRINTING OPTIMISED
FOR MOBILE**



**DESIGN
ON SCREEN**



**PRINT ON
DEMAND**



**LABEL
ON-SITE**

KITS AND ACCESSORIES TO STREAMLINE WORKFLOWS

Unlock the full potential of your label printer with our range of convenient kits and accessories. All-in-one kits contain a range of accessories, from hands-free facilitators to organised storage and transportation solutions, designed to streamline your labelling workflow.

PRINTERS

M211 LABEL PRINTER



880345

What's included?

M211 Printer, M21-750-499 Label Cartridge and AC Adapter

M210 LABEL PRINTER



152260

What's included?

M210 Label Printer and M21-750-499 Label Cartridge

KITS

M211 PORTABLE BLUETOOTH LABEL PRINTER KIT

What's included?

M211 Printer, M21-750-499 Label Cartridge, AC Adapter, Belt Clip, Power Brick, Hard Case and Magnet



881721

M210 HANDHELD LABEL MAKER KIT

What's included?

M210 Label Printer, AC Adapter/Battery Charger, M21-750-499 Label Cartridge, Li-Ion Rechargeable Battery, Replacement Power Cord and Hard Case



881720

ACCESSORIES

Magnet

For hands-free operation

The Magnet accessory offers a convenient option to attach your printer to panels, I-beams and any other magnetic-receptive surface.

M210 & M211



170425

Power Brick

For power on the go


Use the high-capacity Power Brick for your printer, phone or tablet to keep everything running smoothly.

M210



875407

M211



176499

Hard Case & Soft Case

For printer protection and storage

Protect your printer and keep accessories and label cartridges on hand and organised.

M210 & M211



170421 (M210)
170386 (M211)



150617

Belt Clip & Utility Hook

For hands-free transport

Easily attach your printer to your tool belt, cart, rack or bucket organiser with the Belt Clip or Utility Hook.

M210 & M211



170385

M210



170424

Rechargeable Battery Pack

For longer battery life

Work longer and with cordless printer operation with the Rechargeable Battery Pack.

M210



139540

AC Adapter

For power when you need it

Power your printer without the need for recharging or replacing batteries.

M210



110937

M211



880346

M211 SOFTWARE TO MAKE LABEL CREATION EASY

Software options for the M211 boost productivity by reducing manual input, automating tasks and simplifying processes.



Express Labels Mobile App

Label creation, just a tap away

- ▶ Preview labels before printing, ensuring no labels are wasted
- ▶ Visual design guides simplify advance label creation for wraps, flags, breaker boxes, patch panels, safety labels and more
- ▶ Save and share labels to eliminate time creating new labels from scratch



Software Development Kit (SDK)

One simple integration to print from your software

- ▶ Employees can use their own Android or iOS web-based software apps to print labels for a seamless way to get data to a Brady printer
- ▶ The SDK Library connects, retrieves, monitors and supports data for faster and more efficient workflows
- ▶ A versatile technology that can be used with select Brady Bluetooth-enabled printers



SAY HI TO BRADYVOICE™ LABELLING



- ▶ Available on Express Labels Mobile, BradyVoice offers a faster, more efficient way to label. Packed with time-saving features like quick formatting, intuitive voice recognition and automatic sizing, BradyVoice harnesses the power of your voice to streamline labelling tasks and maximise productivity.



All-Weather

Get extra durability outdoors and in tough, industrial workspaces. Choose labels that are reflective or resistant to UV light, chemicals, salt spray and cleaners.




Fig. 29





Fig. 33



B-595 All-Weather Vinyl Labels

Make labels that withstand up to 10 years of outdoor abuse with this low-shrink vinyl label material (B-595). Temp. range: -40°F to 180°F (-40°C to 82°C). UL recognised.

Part No.	Description	Colour	Finish	Label Width A inch (mm)	Label Height B inch (mm)	Labels per Cartridge	Figure
176809	M21-11-595-WT	Black on White	Gloss	0.750 (19.1)	0.500 (12.7)	140	Fig 29
176811	M21-18-595-WT	Black on White	Gloss	1.000 (25.4)	0.750 (19.1)	121	Fig 29
176810	M21-131-595-WT	Black on White	Gloss	1.000 (25.4)	0.500 (12.7)	121	Fig 29
176812	M21-136-595-WT	Black on White	Gloss	1.500 (38.1)	0.750 (19.1)	91	Fig 29
176813	M21-137-595-WT	Black on White	Gloss	2.000 (50.8)	0.750 (19.1)	73	Fig 29
139744	M21-250-595-WT	Black on White	Gloss	0.250 (6.4)	21 ft (6.4m)	1 roll (cont.)	Fig 33
142800	M21-375-595-WT	Black on White	Gloss	0.375 (9.5)	21 ft (6.4m)	1 roll (cont.)	Fig 33
142807	M21-500-595-WT	Black on White	Gloss	0.500 (12.7)	21 ft (6.4m)	1 roll (cont.)	Fig 33
142797	M21-750-595-WT	Black on White	Gloss	0.750 (19.1)	21 ft (6.4m)	1 roll (cont.)	Fig 33
139745	M21-250-595-YL	Black on Yellow	Gloss	0.250 (6.4)	21 ft (6.4m)	1 roll (cont.)	Fig 33
142803	M21-375-595-YL	Black on Yellow	Gloss	0.375 (9.5)	21 ft (6.4m)	1 roll (cont.)	Fig 33
142799	M21-500-595-YL	Black on Yellow	Gloss	0.500 (12.7)	21 ft (6.4m)	1 roll (cont.)	Fig 33
142811	M21-750-595-YL	Black on Yellow	Gloss	0.750 (19.1)	21 ft (6.4m)	1 roll (cont.)	Fig 33
139738	M21-375-595-GY	Black on Grey	Gloss	0.375 (9.5)	21 ft (6.4m)	1 roll (cont.)	Fig 33
139739	M21-500-595-GY	Black on Grey	Gloss	0.500 (12.7)	21 ft (6.4m)	1 roll (cont.)	Fig 33
139740	M21-750-595-GY	Black on Grey	Gloss	0.750 (19.1)	21 ft (6.4m)	1 roll (cont.)	Fig 33
142809	M21-375-595-OR	Black on Orange	Gloss	0.375 (9.5)	21 ft (6.4m)	1 roll (cont.)	Fig 33
142796	M21-500-595-OR	Black on Orange	Gloss	0.500 (12.7)	21 ft (6.4m)	1 roll (cont.)	Fig 33
142804	M21-750-595-OR	Black on Orange	Gloss	0.750 (19.1)	21 ft (6.4m)	1 roll (cont.)	Fig 33
139741	M21-375-595-BK	White on Black	Gloss	0.375 (9.5)	21 ft (6.4m)	1 roll (cont.)	Fig 33
139742	M21-500-595-BK	White on Black	Gloss	0.500 (12.7)	21 ft (6.4m)	1 roll (cont.)	Fig 33
139743	M21-750-595-BK	White on Black	Gloss	0.750 (19.1)	21 ft (6.4m)	1 roll (cont.)	Fig 33
142806	M21-375-595-BL	White on Blue	Gloss	0.375 (9.5)	21 ft (6.4m)	1 roll (cont.)	Fig 33
142798	M21-500-595-BL	White on Blue	Gloss	0.500 (12.7)	21 ft (6.4m)	1 roll (cont.)	Fig 33
142794	M21-750-595-BL	White on Blue	Gloss	0.750 (19.1)	21 ft (6.4m)	1 roll (cont.)	Fig 33
142810	M21-375-595-RD	White on Red	Gloss	0.375 (9.5)	21 ft (6.4m)	1 roll (cont.)	Fig 33
142795	M21-500-595-RD	White on Red	Gloss	0.500 (12.7)	21 ft (6.4m)	1 roll (cont.)	Fig 33
142801	M21-750-595-RD	White on Red	Gloss	0.750 (19.1)	21 ft (6.4m)	1 roll (cont.)	Fig 33
142802	M21-375-595-GN	White on Green	Gloss	0.375 (9.5)	21 ft (6.4m)	1 roll (cont.)	Fig 33
142805	M21-500-595-GN	White on Green	Gloss	0.500 (12.7)	21 ft (6.4m)	1 roll (cont.)	Fig 33
142808	M21-750-595-GN	White on Green	Gloss	0.750 (19.1)	21 ft (6.4m)	1 roll (cont.)	Fig 33
139732	M21-375-595-PL	White on Purple	Gloss	0.375 (9.5)	21 ft (6.4m)	1 roll (cont.)	Fig 33
139733	M21-500-595-PL	White on Purple	Gloss	0.500 (12.7)	21 ft (6.4m)	1 roll (cont.)	Fig 33
139734	M21-750-595-PL	White on Purple	Gloss	0.750 (19.1)	21 ft (6.4m)	1 roll (cont.)	Fig 33
139735	M21-375-595-BR	White on Brown	Gloss	0.375 (9.5)	21 ft (6.4m)	1 roll (cont.)	Fig 33
139736	M21-500-595-BR	White on Brown	Gloss	0.500 (12.7)	21 ft (6.4m)	1 roll (cont.)	Fig 33
139737	M21-750-595-BR	White on Brown	Gloss	0.750 (19.1)	21 ft (6.4m)	1 roll (cont.)	Fig 33



Heat-Shrink

Choose industrial grade, heat-shrinkable sleeve labels for long-lasting wire and cable identification. Built to Naval Air Systems Command (NAVAIR) and industry-specific standards.




Fig. 58



B-342 PermaSleeve® Heat-Shrink Tubing

Permanently mark wires with the durable PermaSleeve® PS heat-shrink polyolefin sleeve label material (B-342). Temp. range: -67°F to 275°F (-55°C to 130°C). RoHS compliant and UL recognised.

Part No.	Description	Colour	Finish	Approx Wire Gauge	Diameter as Supplied B inch (mm)	Recovered Diameter inch (mm)	Label Width A inch (mm)	Roll Length B feet (m)	Labels per Cartridge	Figure
110923	M21-125-C-342	Black on White	Matte	22 AWG - 16 AWG	0.125 (3.2)	0.047 (1.2)	0.235 (6.0)	7 (2.13)	1 roll (cont.)	Fig 58
110924	M21-187-C-342	Black on White	Matte	20 AWG - 10 AWG	0.187 (4.8)	0.062 (1.6)	0.335 (8.5)	7 (2.13)	1 roll (cont.)	Fig 58
110925	M21-250-C-342	Black on White	Matte	16 AWG - 8 AWG	0.250 (6.4)	0.093 (2.4)	0.439 (11.2)	7 (2.13)	1 roll (cont.)	Fig 58
110926	M21-375-C-342	Black on White	Matte	12 AWG - 4 AWG	0.375 (9.5)	0.125 (3.2)	0.645 (16.4)	7 (2.13)	1 roll (cont.)	Fig 58
139751	M21-187-C-342-YL	Black on Yellow	Matte	20 AWG - 10 AWG	0.187 (4.8)	0.062 (1.6)	0.335 (8.5)	7 (2.13)	1 roll (cont.)	Fig 58
139750	M21-125-C-342-YL	Black on Yellow	Matte	22 AWG - 16 AWG	0.125 (3.2)	0.047 (1.2)	0.235 (6.0)	7 (2.13)	1 roll (cont.)	Fig 58
139752	M21-250-C-342-YL	Black on Yellow	Matte	16 AWG - 8 AWG	0.250 (6.4)	0.093 (2.4)	0.439 (11.2)	7 (2.13)	1 roll (cont.)	Fig 58
139753	M21-375-C-342-YL	Black on Yellow	Matte	12 AWG - 4 AWG	0.375 (9.5)	0.125 (3.2)	0.645 (16.4)	7 (2.13)	1 roll (cont.)	Fig 58



Laboratory

Ensure lab samples remain legible, scannable and trackable in every extreme process: cryogenic, staining, solvents and processing fluids.




Fig. 33



B-461 Self-Laminating Cryogenic Polyester Labels

Securely label lab tubes and vials for cryogenic storage with this self-laminating, ultra-thin polyester label material (B-461).

Part No.	Description	Colour	Finish	Label Width A inch (mm)	Roll Length B feet (m)	Labels per Cartridge	Figure
110931	M21-375-461	Black on White	Matte	0.375 (9.5)	21 (6.4)	1 roll (cont.)	Fig 33
110932	M21-500-461	Black on White	Matte	0.500 (12.7)	21 (6.4)	1 roll (cont.)	Fig 33
110933	M21-750-461	Black on White	Matte	0.750 (19.1)	21 (6.4)	1 roll (cont.)	Fig 33



B-488 Solvent Resistant Polyester Labels

Easily label lab slides and well plates with the B-488 high-performance polyester label material.

Part No.	Description	Colour	Finish	Label Width A inch (mm)	Roll Length B feet (m)	Labels per Cartridge	Figure
110934	M21-375-488	Black on White	Matte	0.375 (9.5)	21 (6.4)	1 roll (cont.)	Fig 33
110935	M21-500-488	Black on White	Matte	0.500 (12.7)	21 (6.4)	1 roll (cont.)	Fig 33
110936	M21-750-488	Black on White	Matte	0.750 (19.1)	21 (6.4)	1 roll (cont.)	Fig 33



B-7425 Chemical and Temperature Resistant Polypropylene Labels

Mark dry, room temperature specimen containers with this economical matte white polypropylene label material (B-7425). Temp. range: -320°F to 248°F (-195°C to 120°C).

Part No.	Description	Colour	Finish	Label Width A inch (mm)	Roll Length B feet (m)	Labels per Cartridge	Figure
121014	M21-375-7425	Black on White	Matte	0.375 (9.5)	21 (6.4)	1 roll (cont.)	Fig 33
121015	M21-500-7425	Black on White	Matte	0.500 (12.7)	21 (6.4)	1 roll (cont.)	Fig 33
121016	M21-750-7425	Black on White	Matte	0.750 (19.1)	21 (6.4)	1 roll (cont.)	Fig 33



B-403 Water Dissolvable Paper Labels

Use this water dissolvable label material (B-403) for applications that require easily removable adhesive labels.

Part No.	Description	Colour	Finish	Label Width A inch (mm)	Roll Length B feet (m)	Labels per Cartridge	Figure
152248	M21-500-403	Black on White	Matte	0.500 (12.7)	21 (6.4)	1 roll (cont.)	Fig 33
149608	M21-750-403	Black on White	Matte	0.750 (19.1)	21 (6.4)	1 roll (cont.)	Fig 33



Multi-Purpose

Rely on white or clear labels for just about any industrial application that involves high or low temperatures, harsh environments or regulatory specifications. Choose from various adhesion types: standard, aggressive adhesive, ultra-aggressive adhesive or repositionable.




Fig. 29

Fig. 33



B-423 Harsh Environment Multi-Purpose Polyester Labels

UL recognised for outdoor use on glass, thermoset polyester plastic and polyvinyl fluoride plastic.

Part No.	Description	Colour	Finish	Label Width A inch (mm)	Roll Length B inch (mm)	Labels per Cartridge	Figure
152095	M21-7-423	Black on White	Gloss	0.750 (19.1)	0.500 (12.7)	140	Fig 29
152096	M21-17-423	Black on White	Gloss	1.000 (25.4)	0.500 (12.7)	121	Fig 29
152097	M21-18-423	Black on White	Gloss	1.000 (25.4)	0.750 (19.1)	121	Fig 29
152098	M21-30-423	Black on White	Gloss	1.500 (38.1)	0.750 (19.1)	91	Fig 29
152099	M21-137-423	Black on White	Gloss	2.000 (50.8)	0.750 (19.1)	73	Fig 29
139754	M21-250-423	Black on White	Gloss	0.250 (6.4)	21 ft (6.4m)	1 roll (cont.)	Fig 33
110896	M21-375-423	Black on White	Gloss	0.375 (9.5)	21 ft (6.4m)	1 roll (cont.)	Fig 33
110897	M21-500-423	Black on White	Gloss	0.500 (12.7)	21 ft (6.4m)	1 roll (cont.)	Fig 33
110898	M21-750-423	Black on White	Gloss	0.750 (19.1)	21 ft (6.4m)	1 roll (cont.)	Fig 33



B-430 Harsh Environment Multi-Purpose Clear Polyester Labels

A permanent acrylic-based adhesive that withstands numerous solvents and can be applied to variable surfaces. Service temp: -94° to 212°F (-70° to 100°C). UL, CSA recognised.

Part No.	Description	Colour	Finish	Label Width A inch (mm)	Roll Length B feet (m)	Labels per Cartridge	Figure
139755	M21-250-430	Black on Clear	Gloss	0.250 (6.35)	21 (6.4)	1 roll (cont.)	Fig 33
110899	M21-375-430	Black on Clear	Gloss	0.375 (9.53)	21 (6.4)	1 roll (cont.)	Fig 33
110900	M21-500-430	Black on Clear	Gloss	0.500 (12.7)	21 (6.4)	1 roll (cont.)	Fig 33
110901	M21-750-430	Black on Clear	Gloss	0.750 (19.05)	21 (6.4)	1 roll (cont.)	Fig 33
139746	M21-250-430-WT-CL	White on Clear	Gloss	0.250 (6.35)	21 (6.4)	1 roll (cont.)	Fig 33
139748	M21-375-430-WT-CL	White on Clear	Gloss	0.375 (9.53)	21 (6.4)	1 roll (cont.)	Fig 33
139747	M21-500-430-WT-CL	White on Clear	Gloss	0.500 (12.7)	21 (6.4)	1 roll (cont.)	Fig 33
139749	M21-750-430-WT-CL	White on Clear	Gloss	0.750 (19.05)	21 (6.4)	1 roll (cont.)	Fig 33



B-499 Aggressive Adhesive Multi-Purpose Nylon Labels

Looking for a tough and versatile general-purpose label material? Look no further than the B-499 nylon cloth label material.

Part No.	Description	Colour	Finish	Label Width A inch (mm)	Roll Length B inch (mm)	Labels per Cartridge	Figure
152090	M21-11-499	Black on White	Matte	0.750 (19.1)	0.500 (12.7)	140	Fig 29
152092	M21-18-499	Black on White	Matte	1.000 (25.4)	0.750 (19.1)	121	Fig 29
152091	M21-131-499	Black on White	Matte	1.000 (25.4)	0.500 (12.7)	121	Fig 29
152093	M21-136-499	Black on White	Matte	1.500 (38.1)	0.750 (19.1)	91	Fig 29
152094	M21-137-499	Black on White	Matte	2.000 (50.8)	0.750 (19.1)	73	Fig 29
110893	M21-375-499	Black on White	Matte	0.375 (9.5)	16 ft (4.8m)	1 roll (cont.)	Fig 33
110894	M21-500-499	Black on White	Matte	0.500 (12.7)	16 ft (4.8m)	1 roll (cont.)	Fig 33
110895	M21-750-499	Black on White	Matte	0.750 (19.1)	16 ft (4.8m)	1 roll (cont.)	Fig 33



B-499 Aggressive Adhesive Multi-Purpose Nylon Labels for Terminal Blocks

Aggressive Adhesive Multi-Purpose Nylon Labels are made of the same nylon cloth material designed for wire and cable wraps. These labels are narrow enough to align on terminal blocks and print with user-specified spacing when the printer is in terminal block mode.

Part No.	Description	Colour	Finish	Label Width A inch (mm)	Roll Length B feet (m)	Labels per Cartridge	Figure
110938	M21-375-499-TB	Black on White	Matte	0.375 (9.5)	16 (4.8)	1 roll (cont.)	Fig 33
110939	M21-500-499-TB	Black on White	Matte	0.500 (12.7)	16 (4.8)	1 roll (cont.)	Fig 33



B-851 Repositionable Multi-Purpose Vinyl Labels

Indoor/outdoor vinyl is a high-gloss, durable, flexible material designed with special adhesive to easily remove and reapply.

Part No.	Description	Colour	Finish	Label Width A inch (mm)	Roll Length B feet (m)	Labels per Cartridge	Figure
152246	M21-500-581-WT	Black on White	Gloss	0.500 (12.7)	21 (6.4)	1 roll (cont.)	Fig 33
152247	M21-750-581-WT	Black on White	Gloss	0.750 (19.1)	21 (6.4)	1 roll (cont.)	Fig 33



Unique Material

Get a grip on your wire and cable identification – Brady and VELCRO® Brand have partnered to bring you BradyGrip® Print-on Hook Material, an exclusive print-and-place material that can be easily applied, repositioned or removed.



Fig. 33



B-414 BradyGrip® Print-on-Hook Labels featuring VELCRO® Brand Hook

Easily place, remove and reposition labels on cable bundles with the BradyGrip® Print-on Hook label material (B-414), paired with VELCRO® Brand ONE-WRAP® Rolls.

Part No.	Description	Colour	Finish	Label Width A inch (mm)	Roll Length B feet (m)	Labels per Cartridge	Figure
151514	M21-250-414	Black on White	Matte	0.250 (6.4)	10 (3.0)	1 roll (cont.)	Fig 33
151515	M21-500-414	Black on White	Matte	0.500 (12.7)	10 (3.0)	1 roll (cont.)	Fig 33
151516	M21-750-414	Black on White	Matte	0.750 (19.1)	10 (3.0)	1 roll (cont.)	Fig 33



Wrap Around

Protect important wire and cable ID using labels with a clear laminating barrier. The clear vinyl resists abrasions and chemicals while keeping the white printable area intact.




Fig. 42

Fig. 42a



B-427 Self-Laminating Vinyl Wrap Around Labels

Mark cables and wires with the B-427 self-laminating vinyl label material, designed with a clear self-laminating protective layer. Temp. range: -40°F to 158°F (-40°C to 70°C). UL recognised.

Part No.	Catalog #	Colour	Finish	Approx Wire Gauge	Label Width A inch (mm)	Label Height B inch (mm)	Print-on Area C inch (mm)	Labels per Cartridge	Figure
152083	M21-11-427	Black on White, Clear	Matte	22 AWG - 16 AWG	0.500 (12.7)	0.750 (19.1)	0.375 (9.5)	150	Fig 42
152084	M21-18-427	Black on White, Clear	Matte	22 AWG - 16 AWG	1.000 (25.4)	0.750 (19.1)	0.375 (9.5)	121	Fig 42
110927	M21-750-427	Black on White, Clear	Matte	20 AWG - 12 AWG	0.750 (19.1)	14 ft (4.3 m)	0.375 (9.5)	1 roll (cont.)	Fig 42a
110928	M21-1000-427	Black on White, Clear	Matte	16 AWG - 8 AWG	1.000 (25.4)	14 ft (4.3 m)	0.375 (9.5)	1 roll (cont.)	Fig 42a
110929	M21-1250-427	Black on White, Clear	Matte	12 AWG - 6 AWG	1.250 (31.8)	14 ft (4.3 m)	0.500 (12.7)	1 roll (cont.)	Fig 42a
110930	M21-1500-427	Black on White, Clear	Matte	10 AWG - 4 AWG	1.500 (38.1)	14 ft (4.3 m)	0.500 (12.7)	1 roll (cont.)	Fig 42a



We make products that make the world a safer and smarter place. From the depths of the ocean to outer space, from the factory floor to the delivery room — **we're just about everywhere you look.**

- ▶ For more information or to learn more about our innovative products, visit BradyID.com.au or call 1800 620 816.

Australia | BradyID.com.au
Customer Service: 1800 620 816